



URL: <https://www.foodequipment.com.au/media/catalog/product/s/g/sg120fa-2xb-chilled-food-display.jpg>

Bonvue Chilled Food Display SG120FA-2XB

Quick Overview

- 1200 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Tecumseh Compressors
- German Ėbm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

Description

SG120FA-2XB Bonvue Chilled Food Display

This Bonvue modern chilled cake display, is a staple product within Federal Hospitality Equipment ' s line up. Bonvue is one of the premium catering equipment brands in the business and FED stocks several of their renowned products, including several display units. This cake display aims to provide an eye-catching space to present your culinary work, straight from the kitchen.

This impressive cake display has two levels of shelving, strong secop compressors for functionality, LED lighting to see inside the interior, self-evaporating drainage to remove moisture, digital temperature control, sliding glassed rear doors, triple glazed front with heated filaments – all encased within a stainless-steel framework.

Refrigerated 2 to 8 ° C

Ambient 40°C & 90% Rh

- 1200 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Tecumseh Compressors
- German Ėbm-Pabst Fans
- Illuminated Front Panel

- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

* Subject To 2Nd & 3Rd Year Service And Inspection

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	235
Width (mm)	1200
Depth (mm)	700
Height (mm)	1250
Packing Width (mm)	770
Packing Depth (mm)	1250
Packing Height (mm)	1370
Power	240V; 880W