Bonvue Heated Counter-Top Food Display - HTH160N

Quick Overview

- Gross Volume: 146L
- Net Volume: 101L
- Max Ambient Temperature: 32â„ƒ
- Temperature Range: 30 to 90Â°C
- Curved glass food display
- Three levels of display in a Stainless Steel and glass cabinetÂ
- Bright interior LED lighting
- Adjustable shelving with three levels
- Easily set to two levels for larger products
- PTC heater with fan-assisted heating
- Rear sliding door
- The front glass can be opened from the top for easy cleaning
- Water dish for improving humidity
- Easy-clean construction
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 mm + One 820 x 408 mm
- Front glass: Opening tempered double-glazed glass

Description

Bonvue Heated Counter-Top Food Display - HTH160N

Key Features

- Gross Volume: 146L
- Net Volume: 101L
- Max Ambient Temperature: 32
- Temperature Range: 30 to 90°C
- Curved glass food display
- Three levels of display in a Stainless Steel and glass cabinet

- Bright interior LED lighting
- Adjustable shelving with three levels
- Easily set to two levels for larger products
- PTC heater with fan-assisted heating
- Rear sliding door
- The front glass can be opened from the top for easy cleaning
- Water dish for improving humidity
- Easy-clean construction
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 mm + One 820 x 408 mm
- Front glass: Opening tempered double-glazed glass

1 Year Parts and Labour Warranty

- Bright interior LED lighting
- Adjustable shelving with three levels
- Easily set to two levels for larger products
- PTC heater with fan-assisted heating
- Rear sliding door
- The front glass can be opened from the top for easy cleaning
- Water dish for improving humidity
- Easy-clean construction
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 mm + One 820 x 408 mm
- Front glass: Opening tempered double-glazed glass

Your Shipping Specifications

Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	146L
Net Volume	101L
Max Ambient Temperature	32
Temperature Range	30 to 90° C
Width (mm)	878
Depth (mm)	580
Height (mm)	671.5
Packing Width (mm)	931
Packing Depth (mm)	624
Packing Height (mm)	710
Power	240V; 1.5kW / 10A
Warranty	1 Year Parts and Labour