



## Glass Door Workbench Fridge - TL1500TNG

### Quick Overview



- Fridge -2 to 8°C
- Glass Door fridge Ambient 35°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

URL: [https://www.foodequipment.com.au/media/catalog/product/t/tl1500tng-workbench-fridge\\_castor.jpg](https://www.foodequipment.com.au/media/catalog/product/t/tl1500tng-workbench-fridge_castor.jpg)

### Description

#### 700 Series

Stainless Steel double glass door fridge  
Refrigerated -2 to +8°C

Double Glass Door - 360 Litre

#### Features:

- Fridge -2 to 8°C
- Glass Door fridge Ambient 35°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

Dimension: 1500mmW x 700D x 850H;

Ambient / RH%: 35/60

Power: 240V; 280W; 10A outlet required

Â

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Width (mm)	1500
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	730
Packing Depth (mm)	1540
Packing Height (mm)	900
Power	240V; 280W; 10A Outlet Required