



## LG-208SC Under Bench Two Sliding Door Bar Cooler

### Quick Overview

- Suitable For Under Bench Use
- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Zanussi Compressors
- Double Glazed Doors
- Sliding Doors
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100mm Wall Clearance Required For Ventilation
- Capacity 208 ltr

URL: [https://www.foodequipment.com.au/media/catalog/product/l/g/lg-208s\\_sb\\_sc.jpg](https://www.foodequipment.com.au/media/catalog/product/l/g/lg-208s_sb_sc.jpg)

### Description

#### Under Bench Two Sliding Door Bar Cooler - LG-208SC

A fantastic choice for bars and restaurants, the LG-208SC underbench two door bar cooler earns its praise from its high-functioning performance.

Made purely to store your drinks and beverages within a nice, snug spot, this fridge unit is easy to access and compact to slot anywhere within your workspace or counter.

This versatile cooler comes with two levels of shelving, powerful compressors for function, double glazed doors, interior lights, digital temp control – all encased within a tough industrial frame.

Give your beverages that cool, crisp taste with this immaculate fridge - bound to keep your stock stone cold and ready to access.

Professional Bar Cooler

The Largest Range In Australasia

Refrigerated: 2 to 8 ° C

Ambient 32 ° C & 75% Rh

- Suitable For Under Bench Use
- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Zanussi Compressors
- Double Glazed Doors
- Sliding Doors
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100mm Wall Clearance Required For Ventilation
- Capacity 208 Itr

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	75
Width (mm)	900
Depth (mm)	530
Height (mm)	835
Packing Width (mm)	570
Packing Depth (mm)	950
Packing Height (mm)	920
Power	240V; 280W