



 $\label{lem:url:lem:u$

PPB/18 two large door DELUXE Pizza Prep Bench

Quick Overview

Two Large Door

9 × 1/3 pans*

Stainless Steel interior & exterior

• 2 to 8Â ° C

• "blown well"

• cross-flow pan cooling

• fridge has one level of shelving plus floor

• tilted pans with easy-slide Perspex covers**

•comes with Pizza crumb tray

• Aspera compressors

• German ËBM-Pabst fans

• digital temp. control & read-out

• Ambient 33°C & 75% RH

• internal corners rounded for hygiene & easy cleaning

• working area 320 mm deep

• bench height 845 mm

• insulation is CFC & HCFC free

• extremely efficient self-closing doors

• 100mm wall clearance required for ventilation

• fan-forced evaporator cooling

• auto defrost

• self evaporating drainage

• castors

Completely removable refrigeration unit

* pans not included

** sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than $5\hat{A}^{\text{o}}\text{C}$ before filling

Description

Two Large Door

9 × 1/3 pans*

Stainless Steel interior & exterior

• 2 to 8Â ° C

• "blown well"

• cross-flow pan cooling

• fridge has one level of shelving plus floor

• tilted pans with easy-slide Perspex covers**

•comes with Pizza crumb tray

• Aspera compressors

• German ËBM-Pabst fans

• digital temp. control & read-out

• Ambient 33°C & 75% RH

• internal corners rounded for hygiene & easy cleaning

â€:¢ working area 320 mm deep

• bench height 845 mm

• insulation is CFC & HCFC free

• extremely efficient self-closing doors

• 100mm wall clearance required for ventilation

1

• fan-forced evaporator cooling • auto defrost • self evaporating drainage • castors Completely removable refrigeration unit

* pans not included

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

^{**} sliding pan covers must be used to ensure correct operating temperature

Your Shipping Specifications

Net Weight (Kg)	160
Width (mm)	1820
Depth (mm)	810
Height (mm)	1050
Packing Width (mm)	880
Packing Depth (mm)	1850
Packing Height (mm)	1120
Power	240V; 650W