



URL: <https://www.foodequipment.com.au/media/catalog/product/s/g/sg090fa-2xb-chilled-food-display.jpg>

SG090FA-2XB Bonvue Chilled Food Display

Quick Overview

- 900 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Tecumseh Compressors
- German Ębm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

Description

SG090FA-2XB Bonvue Chilled Food Display

This smaller Bonvue chilled cake display comes to us from Bonvue, one of the premium catering equipment brands in the business. This cake display aims to provide an eye-catching space to present your culinary work, straight from the kitchen.

This impressive cake display has two levels of shelving, strong secop compressors for functionality, LED lighting to see inside the interior, self-evaporating drainage to remove moisture, digital temperature control, sliding glassed rear doors, triple glazed front with heated filaments – all encased within a stainless-steel framework.

3 Year Full Parts And Labour

Refrigerated 2 to 8 ° C

Ambient 40°C & 90% Rh

- 900 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation

- Danfoss Or Tecumseh Compressors
- German EBM-Papst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

* Subject To 2nd & 3rd Year Service And Inspection

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

| | |
|---------------------|------------|
| Net Weight (Kg) | 195 |
| Width (mm) | 900 |
| Depth (mm) | 700 |
| Height (mm) | 1250 |
| Packing Width (mm) | 770 |
| Packing Depth (mm) | 950 |
| Packing Height (mm) | 1440 |
| Power | 240V; 750W |