



URL: <https://www.foodequipment.com.au/media/catalog/product/s/g/sg150fa-2xb-chilled-food-display.jpg>

SG150FA-2XB Bonvue Chilled Food Display

Quick Overview

- Black Trim & Shelving
- 3 Display Levels
- 1500 mm Wide
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Tecumseh Compressors
- German Ebm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

Description

Bonvue Chilled Food Display - SG150FA-2XB

This impressive cake display has two levels of shelving, strong secop compressors for functionality, LED lighting to see inside the interior, self-evaporating drainage to remove moisture, digital temperature control, sliding glassed rear doors, triple glazed front with heated filaments – all encased within a stainless-steel framework.

These chilled cake displays are great for bakeries, health food stores, takeaway shops and cafes serving, presenting and keeping cakes, pastries, salads, wraps, sandwiches, and other light meals cool and fresh.

Refrigerated: 2 to 8 ° C

Ambient: 40°C & 90% Rh

- Black Trim & Shelving
- 3 Display Levels
- 1500 mm Wide
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Tecumseh Compressors
- German Ebm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level

- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

* Subject To 2nd & 3rd Year Service And Inspection

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	270
Width (mm)	1500
Depth (mm)	700
Height (mm)	1250
Packing Width (mm)	770
Packing Depth (mm)	1550
Packing Height (mm)	1400
Power	240V; 970W