



URL: <https://www.foodequipment.com.au/media/catalog/product/s/l/slb240-sandwich-bar.jpg>

## SLB240 four door Sandwich Bar

### Quick Overview

#### Four Door

12 × 1/3 × 150 mm deep GN pans\*  
Stainless Steel interior & exterior\*

- 2 to 5 ° C
- cross-flow pan cooling
- "blown well"
- Fridge has one level of shelving plus floor
- Comes with dividers
- pan lid
- Embraco compressors
- German ĖBM-Pabst fans
- digital temp. control & read-out
- Ambient 38°C & 60% RH
- rounded internal corners for hygiene & easy cleaning
- working area 240mm deep
- PE cutting board included
- bench height 880 mm
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- castors

\* gal metal back

\*\* pans not included

\*\*\* pan lid must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

### Description

#### Four Door

12 × 1/3 × 150 mm deep GN pans\*  
Stainless Steel interior & exterior\*

- 2 to 5 ° C
- cross-flow pan cooling
- "blown well"
- Fridge has one level of shelving plus floor
- Comes with dividers
- pan lid
- Embraco compressors
- German ĖBM-Pabst fans
- digital temp. control & read-out

- Ambient 38°C & 60% RH
- rounded internal corners for hygiene & easy cleaning
- working area 240mm deep
- PE cutting board included
- bench height 880 mm
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- castors

\* gal metal back

\*\* pans not included

\*\*\* pan lid must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	175
Width (mm)	2400
Depth (mm)	750
Height (mm)	1090
Packing Width (mm)	870
Packing Depth (mm)	2520
Packing Height (mm)	1250
Power	240V; 525W