



Stainless Steel Double Door Workbench Fridge - TL1200TN

Quick Overview

- Fridge -2 to 8°C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

Description

700 Series

STAINLESS STEEL WORKBENCH
Refrigerated • -2 to +8 ° C

S/S Double Door - 250 Litre

Features:

- Fridge -2 to 8°C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

Dimension: 1200mmW x 700D x 850H;

Ambient / RH%: 43/40

Power: 240V; 219W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	90
Width (mm)	1200
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	730
Packing Depth (mm)	1240
Packing Height (mm)	900
Power	240V; 250W; 10A Outlet Required
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice