





## Stainless Steel Double Door Workbench Fridge - TS1500TN

## Quick Overview

- Fridge -2 to +8°C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

Description

Stainless steel double door fridge

600 Series REFRIGERATED • -2 to +8 ° C

S/S Double Door - 283 Litre

Features:

- Fridge -2 to +8°C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- · Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- · Castors

Dimension: 1500 mW × 600 D × 850 H;

Ambient / RH%: 43/40

Power: 240V; 235W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

Net Weight (Kg)	90
Width (mm)	1500
Depth (mm)	600
Height (mm)	850
Packing Width (mm)	630
Packing Depth (mm)	1540
Packing Height (mm)	900
Power	240V;235W; 10A Outlet required
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice