



## Stainless Steel Double Door Workbench Fridge - TL1500TN

### Quick Overview

- Fridge -2 to 8°C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors



URL: [https://www.foodequipment.com.au/media/catalog/product/t/tl1500tn-ss-workbench-fridge\\_castor.jpg](https://www.foodequipment.com.au/media/catalog/product/t/tl1500tn-ss-workbench-fridge_castor.jpg)

### Description

700 Series

STAINLESS STEEL WORKBENCH  
Refrigerated • -2 to 8 ° C

S/S Double Door - 360 Litre

Features:

- Fridge -2 to 8°C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

Dimension (WxDxH mm): 1500x700x850

Litre: 315

Power: 240V; 235W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	106
Width (mm)	1500
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	730
Packing Depth (mm)	1540
Packing Height (mm)	900
Power	240V; 235W; 10A Outlet Required