



## Counter Refrigerator/ Freezer

### Instruction manual



**Model:**

**FA440-A/FA441-A/FA442-A/FA443-A/GH332-A/  
GH333-A**

## Safety Instructions

- Position on a flat, stable surface.
- A service agent/qualified technician should carry out installation and any repairs if required. Do not remove any components or service panels on this product.
  - **In Queensland the service agent/qualified technician MUST hold a Gas Work Authorisation or License for hydrocarbon refrigerants if the appliance gas system is being opened or charged.**
- Consult Local and National Standards to comply with the following:
  - Health and Safety at Work Legislation
  - Fire Precautions
  - Wiring Regulations
  - Building Regulations
- DO NOT use jet/pressure washers to clean the appliance.
- DO NOT use the appliance outside.
- DO NOT use this appliance to store medical supplies.
- DO NOT stand or support yourself on the base, drawers or doors.
- DO NOT allow oil or fat to come into contact with the plastic components or door seal. Clean immediately if contact occurs.
- Always carry, store and handle the appliance in a vertical position and move by holding the base of the appliance.
- Always switch off and disconnect the power supply to the unit before cleaning.
- Keep all packaging away from children. Dispose of the packaging in accordance with the regulations of local authorities.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

- Polar recommend that this appliance should be periodically tested (at least annually) by a Competent Person. Testing should include, but not be limited to: Visual Inspection, Polarity Test, Earth Continuity, Insulation Continuity and Functional Testing.
- POLAR recommend that this product is connected to a circuit protected by an appropriate RCD (Residual Current Device).

### Caution: Risk of Fire



- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.



**Warning: Keep all ventilation openings clear of obstruction. Unit should not be boxed in without adequate ventilation.**

- **To comply with AS/NZS 60079.10.1:2009: Ensure there are not sources of ignition in any area where refrigerant could gather in the event of a leak.**
- **Electrical equipment should not be placed under the vent or where refrigerant could gather in the event of a leak.**
- **Warning:** Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- **Warning:** Do not damage the refrigerant circuit.
- **Warning:** Do not use electrical appliances inside the food storage compartments of the appliance.

## Product Description

**FA440-A** - Polar G-Series Refrigerated counter with 6 Drawers

**FA441-A** - Polar G-Series Refrigerated counter with 9 Drawers

**FA442-A** - Polar G-Series Refrigerated Saladette, Single Door with 1/1GN

**FA443-A** - Polar G-Series Freezer Saladette, Single Door with 1/1GN

**GH332-A** - Polar G-Series Saladette with 2 GN Drawers

**GH333-A** - Polar G-Series Single Door Saladette Preparation Counter

## Pack Contents

The following is included:

POLAR Refrigerator or Freezer

Shelf guides (FA442-A/FA443-A/GH333-A)

Gastronorm spacer bars (GH333-A)

Instruction manual

Shelves (FA442-A/FA443-A/GH333-A)

POLAR prides itself on quality and service, ensuring that at the time of unpacking the contents are supplied fully functional and free of damage.

Should you find any damage as a result of transit, please contact your POLAR dealer immediately.

## Installation



**Note: Not for use in vans or trailers, food trucks or similar vehicles.**  
**If the unit has not been stored or moved in an upright position, let it stand upright for approximately 12 hours before operation. If in doubt allow to stand.**

1. Remove the appliance from the packaging. Make sure that all protective plastic film and coatings are thoroughly removed from all surfaces.
2. To optimize performance and longevity, ensure a minimum clearance of 2.5cm is maintained between the unit and walls and other objects, with a minimum 20cm clearance on the top.  
**NEVER LOCATE NEXT TO A HEAT SOURCE.**



**Note: Before using the appliance for the first time, clean the interior with soapy water then dry well.**



**The appliance is supplied with feet by default. However, castors can be supplied as an option. Castors can be ordered using the code of AJ489.**

3. Set the brakes on the castors to keep the appliance in position.  
 Or,  
 Level the appliance by adjusting the screw feet.

### Fitting the Shelves (FA442-A/FA443-A/GH333-A)

1. Place one set of shelf guides on either side of the cabinet at the desired height.
2. Slide the shelf into place.
3. Slide the floor shelf in place.

### GN Pan Layout (for GH333-A only)



#### Note:

- Use the spacer bars provided to fill any gaps (they are not required to support each GN pans).
- Always close the lid when not in use.
- The appliance is not intended for the long term storage of food.

## Operation

### Storing Food


To get the best results from your POLAR appliance, follow these instructions:

- Only store foodstuffs in the appliance when it has reached the correct operating temperature.
- Do not place uncovered items as below inside the appliance, as this can lead to a damaged and leaking evaporator, and thus void your warranty: hot food, hot liquids, acidic fluids, acidic products.
- Wrap or cover food where possible.
- Do not obstruct the fans inside the appliance.
- Avoid opening the doors for prolonged periods of time.

## Turn On

1. Ensure the power switch is set to [O] and turn on at the socket.
2. Switch on the Power [I]. The current temperature within the appliance is displayed.

## Control Panel



## Set the Operating Temperature

1. Hold the **SET** button for 3 seconds. The value of the current set point will be displayed.
2. Press the ▲ or ▼ buttons to display the required temperature.
3. Press the **SET** button to store the temperature.

## Manual Defrost

- The appliance will automatically run a defrost cycle every six hours.
- **To manually defrost the appliance:** Press and hold the defrost button "aux" for 2 seconds to begin a manual defrost. The defrost light illuminates.

The defrost cycle will end automatically.

## Cleaning, Care & Maintenance

**Defrost appliance at least every 3 months, more often if required. Switch off and disconnect from the power supply before cleaning.**

- Clean the interior of the appliance as often as possible.
- Do not use abrasive cleaning agents. These can leave harmful residues.
- Clean the door seal with warm soapy water.
- Always wipe dry after cleaning.
- Do not allow water used in cleaning to run through the drain hole into the evaporation pan.
- Take care when cleaning the rear of the appliance. Sharp edges can cut.

**Note: Condensation will form in refrigeration on hot humid days, please ensure condensation is allowed to drain properly or is wiped dry.**

Condensation and ice will form with frequent and prolonged opening of the doors. Operating outside of the recommend temperature range and placing next to a heat source will also increase the amount of ice and internal/external condensation. If external condensation occurs wipe the surface down with a cloth.

Excessive ice will result in longer running times that will increase energy consumption and increase the deterioration of components.

If the gasket or seal is damaged or deformed, energy consumption will increase. To restore efficiency, replace gasket.

Do not obstruct fans and do not exceed max load lines, as doing so will impact air distribution and increase energy usage.

## Stainless Steel Care

To maintain the stainless steel exterior of your Polar item, please consider the following information:

Never:


- Use abrasive Scourers or scrubbing pads, etc.
- Use Chlorinated or acidic detergents
- Allow anything e.g. food, dirt, cleaning chemicals to remain on the surface for longer than necessary, clean them off right away.
- Allow the surface to remain wet.

Do:

- Clean often.
- Use soft Cloths or plastic Scourers.
- Rub with the grain of the metal, rather than across it.
- Use detergents and polish designed for cleaning Stainless Steel.
- Ensure that the cleaning products are washed off fully and that the steel is left dry.

## Routine Maintenance - Condenser Cleaning

- The condenser is part of the refrigeration system. The condenser requires monthly cleaning.
- Always disconnect power supply before carrying out Routine Maintenance.
- Failure to clean the condenser will increase energy consumption, reduce the performance and life of your Polar unit, and thus may invalidate your warranty.
- These models have a removable filter which can be cleaned with a vacuum cleaner.



## Troubleshooting

A qualified technician must carry out repairs if required.

| Fault                                                       | Probable Cause                                                                      | Solution                                                     |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------|
| The appliance is not working                                | The unit is not switched on                                                         | Check the unit is plugged in correctly and switched on       |
|                                                             | Plug or lead is damaged                                                             | Replace plug or lead                                         |
|                                                             | Mains power supply fault                                                            | Check mains power supply                                     |
| The appliance turns on, but the temperature is too high/low | Too much ice on the evaporator                                                      | Defrost the appliance                                        |
|                                                             | Condenser blocked with dust                                                         | Clean the Condenser                                          |
|                                                             | Doors are not shut properly                                                         | Check doors are shut and seals are not damaged               |
|                                                             | Appliance is located near a heat source or air flow to the condenser is interrupted | Move the refrigerator to a more suitable location            |
|                                                             | Ambient temperature is too high                                                     | Increase ventilation or move appliance to a cooler position  |
|                                                             | Unsuitable foodstuffs are being stored in the appliance                             | Remove any excessive hot foodstuffs or blockages to the fan  |
|                                                             | Appliance is overloaded                                                             | Reduce the amount of food stored in the appliance            |
| The appliance is leaking water                              | The appliance is not properly levelled                                              | Adjust the screw feet to level the appliance (if applicable) |
|                                                             | The discharge outlet is blocked                                                     | Clear the discharge outlet                                   |
|                                                             | Movement of water to the drain is obstructed                                        | Clear the floor of the appliance (if applicable)             |
|                                                             | The water container is damaged                                                      | Consult a qualified Technician                               |
|                                                             | The drip tray is overflowing                                                        | Empty the drip tray (if applicable)                          |
| The appliance is unusually loud                             | Loose nut/screw                                                                     | Check and tighten all nuts and screws                        |
|                                                             | The appliance has not been installed in a level or stable position                  | Check installation position and change if necessary          |

## Electrical Wiring

The plug is to be connected to a suitable mains socket.

POLAR appliances are wired as follows:

- Live wire (coloured brown) to terminal marked L
- Neutral wire (coloured blue) to terminal marked N
- Earth wire (coloured green/yellow) to terminal marked E

This appliance must be earthed.



If in doubt consult a qualified electrician.

Electrical isolation points must be kept clear of any obstructions. In the event of any emergency disconnection being required they must be readily accessible.

## Compliance

The product must not be disposed of as household waste. To help prevent possible harm to human health and/or the environment, the product must be disposed of in an approved and environmentally safe recycling process. For further information on how to dispose of this product correctly, contact the product supplier, or the local authority responsible for waste disposal in your area.

POLAR parts have undergone strict product testing in order to comply with regulatory standards and specifications set by international, independent, and federal authorities.

POLAR products have been approved to carry the following symbol:



**All rights reserved. No part of these instructions may be produced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of POLAR.**  
Every effort is made to ensure all details are correct at the time of going to press, however, POLAR reserve the right to change specifications without notice.

## Information requirements for professional refrigerated storage cabinets

Note: Due to our continuous improvement process, the product specifications are subject to change without notice.

|    |                                                                                         |         |                             |                    |
|----|-----------------------------------------------------------------------------------------|---------|-----------------------------|--------------------|
| EN | Model(s): [information identifying the model(s) to which the information relates]       |         |                             | FA440-A            |
| EN | Intended use                                                                            | Storage | Category - Vertical/counter | Counter            |
| EN | Operating temperature(s) - chilled/frozen/multi-use                                     |         |                             | Chilled: 2°C ~ 8°C |
| EN | (where applicable) Heavy-duty/light-duty                                                |         | Light Duty                  |                    |
| EN | Refrigerant fluid(s): [information to identify the refrigerant fluid(s), including GWP] |         |                             | R600a/<br>GWP 3    |

|                |                    |       |
|----------------|--------------------|-------|
| V / Hz         | H x W x D          | Kg    |
| 220-240V~ 50Hz | 875 x 903 x 700 mm | 99 kg |

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

|    |                                        | FA440-A-02    |  |  |  |  |
|----|----------------------------------------|---------------|--|--|--|--|
| EN | Annual Energy Consumption AEC (kWh)    | 905.2         |  |  |  |  |
| EN | Energy Efficiency Index EEI            | 45.2          |  |  |  |  |
| EN | Net volume Vn litre (where applicable) | 84L           |  |  |  |  |
| EN | Chilled volume Vn Ref litre            | 84L           |  |  |  |  |
| EN | Frozen volume Vn Frz litre             | N/A           |  |  |  |  |
| EN | Refrigerant charge x.xx kg             | 0.070kg       |  |  |  |  |
| EN | Power / Current                        | 155W/<br>1.2A |  |  |  |  |

## Information requirements for professional refrigerated storage cabinets

Note: Due to our continuous improvement process, the product specifications are subject to change without notice.

|    |                                                                                         |         |                             |                    |
|----|-----------------------------------------------------------------------------------------|---------|-----------------------------|--------------------|
| EN | Model(s): [information identifying the model(s) to which the information relates]       |         |                             | FA441-A            |
| EN | Intended use                                                                            | Storage | Category - Vertical/counter | Counter            |
| EN | Operating temperature(s) - chilled/frozen/multi-use                                     |         |                             | Chilled: 2°C ~ 8°C |
| EN | (where applicable) Heavy-duty/light-duty                                                |         | Light Duty                  |                    |
| EN | Refrigerant fluid(s): [information to identify the refrigerant fluid(s), including GWP] |         |                             | R600a/<br>GWP 3    |

|                |                     |        |
|----------------|---------------------|--------|
| V / Hz         | H x W x D           | Kg     |
| 220-240V~ 50Hz | 875 x 1365 x 700 mm | 140 kg |

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

|    |                                        | FA441-A-01    |  |  |  |  |
|----|----------------------------------------|---------------|--|--|--|--|
| EN | Annual Energy Consumption AEC (kWh)    | 1511          |  |  |  |  |
| EN | Energy Efficiency Index EEI            | 73.5          |  |  |  |  |
| EN | Net volume Vn litre (where applicable) | 104L          |  |  |  |  |
| EN | Chilled volume Vn Ref litre            | 104L          |  |  |  |  |
| EN | Frozen volume Vn Frz litre             | N/A           |  |  |  |  |
| EN | Refrigerant charge x.xx kg             | 0.100kg       |  |  |  |  |
| EN | Power / Current                        | 235W/<br>1.3A |  |  |  |  |

## Information requirements for professional refrigerated storage cabinets

Note: Due to our continuous improvement process, the product specifications are subject to change without notice.

|    |                                                                                         |         |                             |                    |
|----|-----------------------------------------------------------------------------------------|---------|-----------------------------|--------------------|
| EN | Model(s): [information identifying the model(s) to which the information relates]       |         |                             | FA442-A            |
| EN | Intended use                                                                            | Storage | Category - Vertical/counter | Counter            |
| EN | Operating temperature(s) - chilled/frozen/multi-use                                     |         |                             | Chilled: 2°C ~ 8°C |
| EN | (where applicable) Heavy-duty/light-duty                                                |         | Light Duty                  |                    |
| EN | Refrigerant fluid(s): [information to identify the refrigerant fluid(s), including GWP] |         |                             | R600a/<br>GWP 3    |

|                |                    |       |
|----------------|--------------------|-------|
| V / Hz         | H x W x D          | Kg    |
| 220-240V~ 50Hz | 871 x 478 x 700 mm | 36 kg |

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

|    |                                        | FA442-A-01    |  |  |  |  |
|----|----------------------------------------|---------------|--|--|--|--|
| EN | Annual Energy Consumption AEC (kWh)    | 529.25        |  |  |  |  |
| EN | Energy Efficiency Index EEI            | 26.8          |  |  |  |  |
| EN | Net volume Vn litre (where applicable) | 72L           |  |  |  |  |
| EN | Chilled volume Vn Ref litre            | 72L           |  |  |  |  |
| EN | Frozen volume Vn Frz litre             | N/A           |  |  |  |  |
| EN | Refrigerant charge x.xx kg             | 0.045kg       |  |  |  |  |
| EN | Power / Current                        | 155W/<br>1.2A |  |  |  |  |

## Information requirements for professional refrigerated storage cabinets

Note: Due to our continuous improvement process, the product specifications are subject to change without notice.

|    |                                                                                         |         |                             |                       |
|----|-----------------------------------------------------------------------------------------|---------|-----------------------------|-----------------------|
| EN | Model(s): [information identifying the model(s) to which the information relates]       |         |                             | FA443-A               |
| EN | Intended use                                                                            | Storage | Category - Vertical/counter | Counter               |
| EN | Operating temperature(s) - chilled/frozen/multi-use                                     |         |                             | Frozen: -10°C ~ -20°C |
| EN | (where applicable) Heavy-duty/light-duty                                                |         | Light Duty                  |                       |
| EN | Refrigerant fluid(s): [information to identify the refrigerant fluid(s), including GWP] |         |                             | R290/<br>GWP 3        |

|                |                    |       |
|----------------|--------------------|-------|
| V / Hz         | H x W x D          | Kg    |
| 220-240V~ 50Hz | 871 x 478 x 700 mm | 48 kg |

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

|    |                                        | FA443-A-01    |  |  |  |  |
|----|----------------------------------------|---------------|--|--|--|--|
| EN | Annual Energy Consumption AEC (kWh)    | 1836          |  |  |  |  |
| EN | Energy Efficiency Index EEI            | 65.6          |  |  |  |  |
| EN | Net volume Vn litre (where applicable) | 72L           |  |  |  |  |
| EN | Chilled volume Vn Ref litre            | N/A           |  |  |  |  |
| EN | Frozen volume Vn Frz litre             | 72L           |  |  |  |  |
| EN | Refrigerant charge x.xx kg             | 0.080kg       |  |  |  |  |
| EN | Power / Current                        | 245W/<br>1.6A |  |  |  |  |

## Information requirements for professional refrigerated storage cabinets

Note: Due to our continuous improvement process, the product specifications are subject to change without notice.

|    |                                                                                         |         |                             |                    |
|----|-----------------------------------------------------------------------------------------|---------|-----------------------------|--------------------|
| EN | Model(s): [information identifying the model(s) to which the information relates]       |         |                             | GH332-A            |
| EN | Intended use                                                                            | Storage | Category - Vertical/counter | Counter            |
| EN | Operating temperature(s) - chilled/frozen/multi-use                                     |         |                             | Chilled: 2°C ~ 8°C |
| EN | (where applicable) Heavy-duty/light-duty                                                |         | Light Duty                  |                    |
| EN | Refrigerant fluid(s): [information to identify the refrigerant fluid(s), including GWP] |         |                             | R600a/<br>GWP 3    |

|                |                      |      |
|----------------|----------------------|------|
| V / Hz         | H x W x D            | Kg   |
| 220-240V~ 50Hz | 868.5 x 478 x 700 mm | 46kg |

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

|    |                                        | GH332-A-01    |  |  |  |  |
|----|----------------------------------------|---------------|--|--|--|--|
| EN | Annual Energy Consumption AEC (kWh)    | 657           |  |  |  |  |
| EN | Energy Efficiency Index EEI            | 34.5          |  |  |  |  |
| EN | Net volume Vn litre (where applicable) | 65L           |  |  |  |  |
| EN | Chilled volume Vn Ref litre            | 65L           |  |  |  |  |
| EN | Frozen volume Vn Frz litre             | N/A           |  |  |  |  |
| EN | Refrigerant charge x.xx kg             | 0.045kg       |  |  |  |  |
| EN | Power / Current                        | 100W/<br>1.2A |  |  |  |  |

Note: Due to our continuous improvement process, the product specifications are subject to change without notice.

|    |                                                                                   |         |
|----|-----------------------------------------------------------------------------------|---------|
| EN | Model(s): [information identifying the model(s) to which the information relates] | GH333-A |
|----|-----------------------------------------------------------------------------------|---------|

|    |              |         |                             |         |
|----|--------------|---------|-----------------------------|---------|
| EN | Intended use | Storage | Category - Vertical/counter | Counter |
|----|--------------|---------|-----------------------------|---------|

|    |                                                     |                    |
|----|-----------------------------------------------------|--------------------|
| EN | Operating temperature(s) - chilled/frozen/multi-use | Chilled: 2°C ~ 8°C |
|----|-----------------------------------------------------|--------------------|

|    |                                          |     |
|----|------------------------------------------|-----|
| EN | (where applicable) Heavy-duty/light-duty | N/A |
|----|------------------------------------------|-----|

|    |                                                                                         |                 |
|----|-----------------------------------------------------------------------------------------|-----------------|
| EN | Refrigerant fluid(s): [information to identify the refrigerant fluid(s), including GWP] | R600a/<br>GWP 3 |
|----|-----------------------------------------------------------------------------------------|-----------------|

|                |                      |       |
|----------------|----------------------|-------|
| V / Hz         | H x W x D            | Kg    |
| 220-240V~ 50Hz | 857.5 x 438 x 700 mm | 36 kg |

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

|    |                                        |              |  |  |  |  |
|----|----------------------------------------|--------------|--|--|--|--|
|    |                                        | GH333-A, N/A |  |  |  |  |
| EN | Annual Energy Consumption AEC (kWh)    | N/A          |  |  |  |  |
| EN | Energy Efficiency Index EEI            | N/A          |  |  |  |  |
| EN | Net volume Vn litre (where applicable) | 109L         |  |  |  |  |
| EN | Chilled volume Vn Ref litre            | 109L         |  |  |  |  |
| EN | Frozen volume Vn Frz litre             | N/A          |  |  |  |  |
| EN | Refrigerant charge x.xx kg             | 0.045kg      |  |  |  |  |
| EN | Power / Current                        | 125W/ 1.2A   |  |  |  |  |

# DECLARATION OF CONFORMITY

• Conformiteitsverklaring • Déclaration de conformité • Konformitätserklärung • Dichiarazione di conformità •  
• Declaración de conformidad

|                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Equipment Type • Uitrustingstype • Type d'équipement • Gerätetyp<br>• Tipo di apparecchiatura • Tipo de equipo                                                                                                                                                                      | Model • Modèle • Modell •<br>Modello<br>• Modelo                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Refrigerated Counter with 6 drawers<br>Refrigerated Counter with 9 drawers                                                                                                                                                                                                          | FA440 (-E & -A)<br>FA441 (-E & -A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Application of Territory Legislation &<br>Council Directives(s)<br>Toepassing van Europese Richtlijn(en) •<br>Application de la/des directive(s) du<br>Conseil • Anwendbare EU-Richtlinie(n)<br>• Applicazione delle Direttive<br>• Aplicación de la(s) directiva(s) del<br>consejo | <b>Machinery Directive 2006/42/EC</b><br>Supply of Machinery (Safety) Regulations 2008<br>EN 60335-1:2012 +A11:2014 +A13:2017 +A1:2019<br>+A14:2019 +A2:2019<br>EN 60335-2-89:2010 +A1:2016 +A2:2017<br>EN62233:2008<br><br><b>Electro-Magnetic Compatibility (EMC) Directive<br/>2014/30/EU - recast of 2004/108/EC</b><br>Electromagnetic Compatibility Regulations 2016<br>(S.I. 2016/1091)<br>EN IEC 55014-1: 2021<br>EN IEC 55014-2: 2021<br>EN IEC 61000-3-2: 2019+A1:2021<br>EN 61000-3-3: 2013+A1:2019+A2: 2021<br><br><b>Restriction of Hazardous Substances Directive<br/>(RoHS) 2015/863 amending Annex II to Directive<br/>2011/65/EU</b><br>Restriction of the Use of Certain Hazardous<br>Substances in Electrical and Electronic<br>Equipment Regulations 2012 (S.I. 2012/8032) |
| Manufacturer Name • Naam fabrikant • Nom du fabricant • Name des Herstellers<br>• Nome del fabbricante • Nombre del fabricante                                                                                                                                                      | <b>Electrical Safety</b><br>IEC 60335-1:2010 +A1:2013 +A2:2016<br>IEC 60335-2-89: 2010 +A1:2012 +A2:2015<br><br><b>Electromagnetic Compatibility</b><br>EN IEC 55014-1:2021<br>EN IEC 55014-2: 2021<br>EN IEC 61000-3-2:2019+A1:2021<br>EN 61000-3-3:2013+A1:2019+A2: 2021                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                     | <b>Polar</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

I, the undersigned, hereby declare that the equipment specified above conforms to the above Territory Legislation, Directive(s) and Standard(s).

Ik, de ondergetekende, verklaar hierbij dat de hierboven gespecificeerde uitrusting goedgekeurd is volgens de bovenstaande Richtlijn(en) en Standaard(en).

Je soussigné, confirme la conformité de l'équipement cité dans la présente à la / aux Directive(s) et Norme(s) ci-dessus

Ich, der/die Unterzeichnende, erkläre hiermit, dass das oben angegebene Gerät der/den oben angeführten Richtlinie(n) und Norm(en) entspricht.

Il sottoscritto dichiara che l'apparecchiatura di sopra specificata è conforme alle Direttive e agli Standard sopra riportati.

El abajo firmante declara por la presente que el equipo arriba especificado está en conformidad con la(s) directiva(s) y estándar(es) arriba mencionadas.

Date • Data • Date • Datum • Data •  
Fecha

Signature • Handtekening •  
Signature • Unterschrift Firma •  
Firma

Full Name • Volledige naam • Nom et  
prénom • Vollständiger Name • Nome  
completo • Nombre completo

Position • Functie • Fonction •  
Position • Qualifica • Posición

Manufacturer Address • Adres  
fabrikant • Adresse du fabricant •  
Adresse des Herstellers • Indirizzo del  
fabbricante • Dirección del fabricante

19<sup>th</sup> Apr 2024

DocuSigned by:

Ashley Hooper  
B39382C9FD9C478...

Ashley Hooper

Group Head of Product  
Quality & Compliance

Fourth Way,  
Avonmouth,  
Bristol,  
BS11 8TB  
United Kingdom

DocuSigned by:

Eoghan Donnellan  
D352874F7FAB480...

Eoghan Donnellan

Commercial Manager/  
Importer

Unit 9003,  
Blarney Business Park,  
Blarney,  
Co. Cork  
Ireland

DocuSigned by:

Brendan Denmeade  
386FAD00DFE8483...

Brendan Denmeade

Commercial Manager/ Responsible  
Supplier

15 Badgally Road,  
Campbelltown  
NSW 2560



# DECLARATION OF CONFORMITY

• Conformiteitsverklaring • Déclaration de conformité • Konformitätserklärung • Dichiarazione di conformità •  
• Declaración de conformidad

|                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                 |                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| Equipment Type · Uitrustingstype · Type d'équipement · Gerätetyp<br>· Tipo di apparecchiatura · Tipo de equipo                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Model · Modèle · Modell ·<br>Modello<br>· Modelo                                                                                                                                                                                                |                                    |
| Refrigerated Saladette, Single Door<br>Freezer Saladette, Single Door with Castors                                                                                                                                                                                                  | Saladette with 2 GN Drawers<br>Single Door Saladette Preparation Counter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | FA442 (-E & -A)<br>FA443 (-E & -A)                                                                                                                                                                                                              | GH332 (-E & -A)<br>GH333 (-E & -A) |
| Application of Territory Legislation &<br>Council Directives(s)<br>Toepassing van Europese Richtlijn(en) ·<br>Application de la/des directive(s) du<br>Conseil · Anwendbare EU-Richtlinie(n)<br>· Applicazione delle Direttive<br>· Aplicación de la(s) directiva(s) del<br>consejo | Machinery Directive 2006/42/EC<br>Supply of Machinery (Safety) Regulations 2008<br>EN 60335-1:2012 +A11:2014 +A13:2017 +A1:2019<br>+A14:2019 +A2:2019 +A15:2021<br>EN 60335-2-89:2010 +A1:2016 +A2:2017<br>EN62233:2008<br><br>Electro-Magnetic Compatibility (EMC) Directive<br>2014/30/EU - recast of 2004/108/EC<br>Electromagnetic Compatibility Regulations 2016<br>(S.I. 2016/1091)<br>EN 55014-1: 2017+A11:2020<br>EN 55014-2: 2015<br>EN IEC 61000-3-2: 2019<br>EN 61000-3-3: 2013+A1:2019<br><br>Restriction of Hazardous Substances Directive<br>(RoHS) 2011/65/EU amending Annex II to Directive<br>2011/65/EU<br>Restriction of the Use of Certain Hazardous<br>Substances in Electrical and Electronic<br>Equipment Regulations 2012 (S.I. 2012/3032) | Electrical Safety<br>IEC 60335-1:2010 +A1:2013 +A2:2016<br>IEC 60335-2-89: 2010 +A1:2012 +A2:2015<br><br>Electromagnetic Compatibility<br>EN 55014-1: 2017+A11:2020<br>EN 55014-2: 2015<br>EN IEC 61000-3-2: 2019<br>EN 61000-3-3: 2013+A1:2019 |                                    |
| Manufacturer Name · Naam fabrikant · Nom du fabricant · Name des Herstellers<br>· Nome del fabbricante · Nombre del fabricante                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Polar                                                                                                                                                                                                                                           |                                    |

I, the undersigned, hereby declare that the equipment specified above conforms to the above Territory Legislation, Directive(s) and Standard(s).

Ik, de ondergetekende, verklaar hierbij dat de hierboven gespecificeerde uitrusting goedgekeurd is volgens de bovenstaande Richtlijn(en) en Standaard(en).

Je soussigné, confirme la conformité de l'équipement cité dans la présente à la / aux Directive(s) et Norme(s) ci-dessus

Ich, der/die Unterzeichnende, erkläre hiermit, dass das oben angegebene Gerät der/den oben angeführten Richtlinie(n) und Norm(en) entspricht.

Il sottoscritto dichiara che l'apparecchiatura di sopra specificata è conforme alle Direttive e agli Standard sopra riportati.

El abajo firmante declara por la presente que el equipo arriba especificado está en conformidad con la(s) directiva(s) y estándar(es) arriba mencionadas.

Date · Data · Date · Datum · Data ·  
Fecha

Signature · Handtekening ·  
Signature · Unterschrift Firma ·  
Firma

Full Name · Volledige naam · Nom et  
prénom · Vollständiger Name · Nome  
completo · Nombre completo

Position · Functie · Fonction ·  
Position · Qualifica · Posición

Manufacturer Address · Adres  
fabrikant · Adresse du fabricant ·  
Adresse des Herstellers · Indirizzo del  
fabbricante · Dirección del fabricante

19<sup>th</sup> Apr 2024

DocuSigned by:

Ashley Hooper

B39382C9FD9C478...

Ashley Hooper

Group Head of Product  
Quality & Compliance

Fourth Way,  
Avonmouth,  
Bristol,  
BS11 8TB  
United Kingdom

DocuSigned by:

Eoghan Donnellan

D352874F7FAB460...

Eoghan Donnellan

Commercial Manager/  
Importer

Unit 9003,  
Blarney Business Park,  
Blarney,  
Co. Cork  
Ireland

DocuSigned by:

Brendan Denmeade

386FAD00DFE8483...

Brendan Denmeade

Commercial Manager/ Responsible  
Supplier

15 Badgally Road,  
Campbelltown  
NSW 2560





<http://www.polar-refrigerator.com/> 

FA440-A to FA443-A\_GH332-A to GH333-A\_A5\_v3\_2024/07/30