





GLASS DOOR MERCHANDISERS
REFRIGERATORS

MODEL: FRS-1350RS

SWING DOOR MERCHANDISERS

___FEATURES & BENEFITS =__

■ Energy conserving fan control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

■ Hot gas condensate system Only Turbo Air models

Through Turbo Air's creative innovation, the condensate system surfaces have been specially treated to resist corrosion. This not only increases efficiency without the risk of refrigerant leakage from corrosion, but also prevents the overflow of condensate water.

■ LED advertising panel

LED lighting offers 5 times longer lasting life than fluorescents and conserves energy as well.

■ LED lighting interior

Brighter and longer lasting LED lights provide attractive, enhanced illumination compared to fluorescents. It saves energy by producing less heat, while maximizing the visibility in the display area.

Double pane glass doors with Low-E glass

Energy saving double pane glass doors are equipped with Low-emissivity glass, which reduce outer heat gain and decrease energy consumption. It enhances energy efficiency and minimizes condensation. Lightweight door construction also reduce door maintenance and bushing wear, which in turn facilitates smoother door openings.

Efficient refrigeration system

Turbo Air's glass door refrigerators are designed with oversized and balanced (CFC Free R-134A) refrigeration systems. These include efficient evaporators and condensers for faster cooling and greater efficiency.

- Adjustable, heavy duty, PE (polyethylene) coated wire shelves
- Bottom mount compressor unit
- Ergonomically designed doors with easy grip handles
- Magnetic door gasket
- High-density polyurethane insulation

The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.



Refrigerator holds 0°C ~ 8°C for the best in beverage preservation

SWING DOOR MERCHANDISERS

MODEL: FRS-1350RS

Model: FRS-1350RS

Model	FRS-1350RS
Refrigerant	R-404A
COMP (HP)	350g
POWER INPUT(W)	1/2HP
Energy	
AMPS(A)	4.6
Capacity	1315
Product Dimension	1420
Product Dimension	837
Product Dimension	2076
Weight	226
Stainless steel	EGI (WHITE)
Features	analogue
Max GN Pan depth	
GN Pan	
Door lock	X
Adjustable Shelves	8
LED light	yes
Temperature range	0~8°C
Ambient	
Drainage /	Yes
Temperature	Bar Thermometer
Cooling type	FAN COOLING
Glass Type (Low-e / Heater / How many layer of the glass)	Double Pane Glass Door with Low-E glass

Design and specifications subject to change without notice. Actual Shipping weight may differ due to extra packing materials for product


- White color cabinet & black color frame on door
- Black color cabinet available
- 4" dia. casters are available (optional)


■ OPTIONAL ACCESSORIES:


- ☐ 4" caster, ½" diameter & 13 TPI: G8F6500101 (non-brake), G8F6500201 (w/ brake)
- ☐ Additional PE coated wire shelf: 30278D0107

PLAN VIEW

(unit: inch)













AUSTRALIA BRANCH

TURBO AIR PTY LTD www.turboairinc.com.au 1st Floor, Building E 10 Highgate St, Auburn NSW 2144 Australia T. 02 9737 9881

