



## Fed-X Stainless Steel Upright Static Display Fridge XR200SG

### Quick Overview

- Litre 130
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

### Description

Fed-X Stainless Steel Upright Static Display Fridge XR200SG

### Key Features

- Litre 130
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning

- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

|                     |  |
|---------------------|--|
| Net Weight (Kg)     | 47   |
| Width (mm)          | 600  |
| Depth (mm)          | 585  |
| Height (mm)         | 850  |
| Packing Width (mm)  | 646  |
| Packing Depth (mm)  | 642  |
| Packing Height (mm) | 990  |
| Power               | 240V, 205W/10A   |
| Warranty            | Warranty: 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration |