



Fed-X Stainless Steel Upright Static Freezer XF400SS

Quick Overview

- Litre 340
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range (-22 to -18)
- Ambient/RH% - 30/50

Description

Fed-X Stainless Steel Upright Static Freezer XF400SS

Key Features:

- Litre 340
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range (-22 to -18)
- Ambient/RH% - 30/50

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	69
Width (mm)	600
Depth (mm)	585
Height (mm)	1850
Packing Width (mm)	646
Packing Depth (mm)	642
Packing Height (mm)	1990
Power	240V, 384W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration