



Thermaster Upright Glass Door Beverage Fridge - SDC-258B

Quick Overview

- LED lighting
- Integrated door handle
- 2 layers external tempered glass door
- Black painted steel
- Easy to move 2 Casters & 2 Feet
- Reinforced wire shelf with a loading capacity of 20kg per shelf
- High cooling efficiency, utilizes natural R290 refrigerant, with an exceptional 10-star GEMS energy rating
- Self-evaporation
- Efficient and exceptional compressor unit
- Digital controller display screen
- Real total no frost
- Maintenance free

Description

Thermaster Upright Glass Door Beverage Fridge - SDC-258B

The Upright Glass Door Beverage Fridge integrates a variety of high-quality features. Its exterior, made of black painted steel, is stylish, attractive, and durable. The LED lighting design is energy-efficient while providing a clear and bright interior view. The efficient cooling system ensures long-lasting and stable cooling performance, as well as excellent energy efficiency. The device features a frost-free design and a self-evaporation system, making it more convenient and worry-free to use. Combining practical and user-friendly operation functions with safe and efficient performance ensures outstanding performance in commercial environments.

Key Features

- LED lighting
- Integrated door handle
- 2 layers external tempered glass door
- Black painted steel
- Easy to move 2 Casters & 2 Feet
- Reinforced wire shelf with a loading capacity of 20kg per shelf
- High cooling efficiency, utilizes natural R290 refrigerant with an exceptional
- 10-star GEMS energy rating
- Self-evaporation
- Efficient and exceptional compressor unit
- Digital controller display screen
- Real total no frost
- Maintenance free:
- Temperature Range: +2 to +7
- Ambient RH%: 35/75

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice

Your Shipping Specifications

Doors	1
Door Type	Hinged Doors
Capacity (L)	258
Net Weight (Kg)	47
Width (mm)	540
Depth (mm)	560
Height (mm)	1725
Packing Width (mm)	595
Packing Depth (mm)	580
Packing Height (mm)	1845
Power	240V, 240/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice