



FED-X One Door Salad Prep Fridge XGNS450S

Quick Overview

- Capacity Litre: 109
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Stainless steel integrated lid
- 1 x GN1/1 shelf per door
- Replaceable magnetic door seals
- User-friendly Digital controls
- Integrated cutting board (S Series only)
- Heavy duty castors
- Fan assisted cooling
- Pans and pan covers must be used to ensure the correct operating temperature
- Pans not included
- Temperature Range: +2 to +8
- Ambient/RH% : 32/60

Description

FED-X One Door Salad Prep Fridge XGNS450S

Fan-assisted static cooling refrigerators offer a hybrid cooling approach, combining even air circulation via a fan with the humidity benefits of static cooling. This method ensures a more uniform temperature, quicker recovery after opening, and reduced, though normal, frost buildup on panels. While slightly noisier than purely static models, they maintain optimal humidity for fresh produce and are more energy-efficient than full frost-free units. This system strikes a balance between minimizing frost accumulation and preserving food quality, making it a cost-effective solution for those seeking the combined advantages of improved air distribution and natural humidity levels in their refrigeration.

Key Features

- Capacity Litre: 109
- Stainless steel interior and exterior with rounded corners for easy cleaning

- Stainless steel integrated lid
- 1 x GN1/1 shelf per door
- Replaceable magnetic door seals
- User-friendly Digital controls
- Integrated cutting board (S Series only)
- Heavy duty castors
- Fan assisted cooling
- Pans and pan covers must be used to ensure the correct operating temperature
- Pans not included
- Temperature Range: +2 to +8
- Ambient/RH% : 32/60

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

| | |
|---------------------|--|
| Doors | 1 |
| Door Type | Hinged Doors |
| Body | Stainless Steel |
| Capacity (L) | 109L |
| Net Weight (Kg) | 37 |
| Width (mm) | 435 |
| Depth (mm) | 700 |
| Height (mm) | 898 |
| Packing Width (mm) | 730 |
| Packing Depth (mm) | 465 |
| Packing Height (mm) | 1050 |
| Power | 240V, 120W/10A |
| Warranty | 2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice |