



FED-X S/S Four Drawer Sandwich Counter - XSS7C13S2V-4D

Quick Overview



- Cooling System: Fan forced cooling
- Temperature range: +2~+8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 40%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Compatible for 7X1/3 GN Pan up to 150mm deep
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User friendly Digital controls
- Rapid recovery rate
- Heavy duty 4 drawers
- Ebm-papst evaporator and condenser fans
- Heavy duty castors with front wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Display top can hold temperature for up to 4 hours from pre-chilled environment

Description

FED-X S/S Four Drawer Sandwich Counter - XSS7C13S2V-4D

Key Features

- Cooling System: Fan forced cooling
- Temperature range: +2~+8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 40%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Compatible for 7X1/3 GN Pan up to 150mm deep
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions

- User friendly Digital controls
- Rapid recovery rate
- Heavy duty 4 drawers
- Ebm-papst evaporator and condenser fans
- Heavy duty castors with front wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Display top can hold temperature for up to 4 hours from pre-chilled environment

/2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Doors	4
Door Type	Hinged Doors
Body	Stainless Steel
Net Weight (Kg)	104
Width (mm)	1360
Depth (mm)	700
Height (mm)	1406
Packing Width (mm)	1390
Packing Depth (mm)	730
Packing Height (mm)	1160
Power	240V; 50V; 10A; 320W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice