



## TDE-3BD TECNODOM Nerone EKO Digital 3x 600x400 Tray Convection Oven

### Quick Overview

- Stainless steel cooking chamber with rounded corners
- Tempered low-e glass
- Fan/s stop when the door is open
- Internal lighting with halogen lamp
- Interlocking gasket fixing system
- According to IPX3 standard norms
- High resistance hinge
- Temperature range of 50°C - 280°C
- 60-minute timer or infinite
- Double Fan
- Reliable and well-protected digital control panel, easy to use
- Memory for recipes
- Double display
- 84mm distance between trays, 105mm for TDE-3BD
- Comes with trays
- Non-slip feet
- Memory for 9 recipes

### Description

TDE-3BD TECNODOM Nerone EKO Digital 3x 600x400 Tray Convection Oven

Products studied to grant the best operations and performances for the modern catering.

Tecnodom introduces the selection of the NERONE range of ovens: excellence dedicated to the cooking systems. The technological, planning, and design skills used by Tecnodom are synthesized in the NERONE range of ovens. The company, thus, offers products that are in step with the needs of the market and that can combine essentiality and simplicity in cleaning and maintenance.

## Key Features

- Stainless steel cooking chamber with rounded corners
- Tempered low-e glass
- Fan/s stop when the door is open
- Internal lighting with halogen lamp
- Interlocking gasket fixing system
- According to IPX3 standard norms
- High resistance hinge
- Temperature range of 50 ° C - 280 ° C
- 60-minute timer or infinite
- Double Fan
- Reliable and well-protected digital control panel, easy to use
- Memory for recipes
- Double display
- 84mm distance between trays, 105mm for TDE-3BD
- Non-slip feet
- Memory for 9 recipes

## Additional Information

- External Dimensions (WxDxmm): 775x720x560
- Internal Dimensions (WxDxmm): 650x459x350
- Trays: 3x600x400mm

1 Year Parts and Labour Warranty

## Your Shipping Specifications

---

|                     |                                  |
|---------------------|----------------------------------|
| Net Weight (Kg)     | 40                               |
| Width (mm)          | 775                              |
| Depth (mm)          | 720                              |
| Height (mm)         | 560                              |
| Packing Width (mm)  | 750                              |
| Packing Depth (mm)  | 800                              |
| Packing Height (mm) | 730                              |
| Power               | 240V, 3.15kW/15A                 |
| Warranty            | 1 Year Parts and Labour Warranty |