



TDE-4B TECNODOM Nerone EKO 4x 600x400 Tray Convection Oven

Quick Overview

- 4 Tray Convection Oven 4x600x400mm Trays
- Stainless steel cooking chamber with rounded corners
- Tempered low-e glass
- Overture Folding Door offers an innovative, high-performance door solution for large opening applications
- Interlocking gasket fixing system
- According to IPX3 standard norms
- High resistance hinge
- Temperature range of 50°C - 280°C
- 60-minute timer or infinite
- 80 mm distance between trays
- Machine Dimension 775x720x560 mm
- Net weight: 40kg
- Internal Dimension: 650x459x350 mm
- Power: 3,15 kW, 15A
- Voltage: 240V

Description

TDE-4B TECNODOM Nerone EKO 4x 600x400 Tray Convection Oven

Products studied to grant the best operations and performances for the modern catering.

Tecnodom introduces the selection of the NERONE range of ovens: excellence dedicated to the cooking systems. The technological, planning, and design skills used by Tecnodom are synthesized in the NERONE range of ovens. The company, thus, offers products that are in step with the needs of the market and that can combine essentiality and simplicity in cleaning and maintenance.

Key Features

- 4 Tray Convection Oven 4x600x400mm Trays
- Stainless steel cooking chamber with rounded corners
- Tempered low-e glass
- Overture Folding Door offers an innovative, high-performance door solution for large opening applications
- Interlocking gasket fixing system
- According to IPX3 standard norms
- High resistance hinge
- Temperature range of 50 ° C - 280 ° C
- 60-minute timer or infinite
- 80 mm distance between trays
- Machine Dimension 775x720x560 mm
- Net weight: 40kg
- Internal Dimension: 650x459x350 mm
- Power: 3,15 kW, 15A
- Voltage: 240V

1 Year Parts and Labour Warranty

Your Shipping Specifications

Knobs	2 knobs
Net Weight (Kg)	40
Width (mm)	775
Depth (mm)	720
Height (mm)	560
Packing Width (mm)	750
Packing Depth (mm)	800
Packing Height (mm)	730
Power	240V, 3,15 kW, 15A
Warranty	1 Year Parts and Labour Warranty