



TDVB80-CA-125 Vulcano Supermarket 2 Door Display

Quick Overview

- Easy to install and lower maintenance cost
- Ventilated Cooling System
- Castors
- Climate Class 4, Ambient of 30° C with 55% RH2 plugs (one extra, separate circuit for the tropical tundish), as requested, that runs with a separate element of 1000W, hence the extra 10Amp you find in each model
- 620mm wide Hinge Glass Door
- Top Ceiling LED Light
- Depth of Shelf (mm): 380
- Temperature Range: 0 ~ +4
- Tundish drain required

Description

Supermarket Refrigerated Display with Glass Doors

Built-in condensing unit, Fitted with Automatic Water Evaporation system with Stainless Steel Serpentine (CG)

Climate Class 4, Ambient of 30 ° C with 55% RH2 plugs (one extra, separate circuit for the tropical tundish) that runs with a separate element of 1000W, hence the extra 10Amp you find in each model Easy to install and lower maintenance cost

- Ventilated Cooling System
- Castor
- 620mm wide Hinge Glass Door
- Display surface: 2,54 m²
- Top Ceiling LED Light
- Depth of Shelf (mm): 380
- Temperature Range: 0 ~ +4
- Tundish drain required

2 Years Parts and Labour

Your Shipping Specifications

Doors	2
Door Type	Hinged Doors
Body	Colorbond
Net Weight (Kg)	210
Width (mm)	1330
Depth (mm)	765
Height (mm)	2130
Packing Width (mm)	880
Packing Depth (mm)	1440
Packing Height (mm)	2210
Power	1830W + 1000W (2 x 10Amp)
Warranty	2 Years Parts and Labour