





## Tecnodom Open Chiller with 4 Shelves TDV80-CA-125

#### **Quick Overview**

- Temp range: 0 2Â ° C
- Length included side walls (40 mm thick each): 1330mm
- 100% Eco friendly
- Compact but with a high display surface
- Display surface: 2.54 m²
- Suitable for small, medium-sized, and large distribution areas
- Made in Italy technology, design, and whole production
- Easy installation
- Climate Class 4, Ambient of 30Â ° C with 60% RH
- Tank made without CFC use
- · Ventilated cooling system
- Electronic control panel
- · Electric defrosting
- Upper internal pink neon lighting
- Auto-rolling manual night blind
- 4 shelves made of atossic white-painted steel sheet, easily adjustable in height, without lighting and shelf risers
- Net weight: 210kg

### Description

Tecnodom Open Chiller with 4 Shelves TDV80-CA-125

### **Key Features**

- Temp range: 0 2 ° C
- Length included side walls (40 mm thick each): 1330mm
- 100% Eco friendly
- · Compact but with a high display surface
- Display surface: 2.54 m<sup>2</sup>

1

- Suitable for small, medium-sized, and large distribution areas
- Made in Italy technology, design, and whole production
- Easy installation
- Climate Class 4, Ambient of 30 ° C with 60% RH
- Tank made without CFC use
- Ventilated cooling system
- Electronic control panel
- Electric defrosting
- Upper internal pink neon lighting
- Auto-rolling manual night blind
- 4 shelves made of atossic white-painted steel sheet, easily adjustable in height, without lighting and shelf risers
- Net weight: 210kg

2 Years Parts and Labour Warranty

# Your Shipping Specifications

| Body                | Colorbond                                  |
|---------------------|--|
| Net Weight (Kg)     | 210  |
| Width (mm)          | 1330                                       |
| Depth (mm)          | 765  |
| Height (mm)         | 2130                                       |
| Packing Width (mm)  | 1440                                       |
| Packing Depth (mm)  | 880  |
| Packing Height (mm) | 2210                                       |
| Power               | 240V, 4070W, Comes with 2 plugs: 15 + 10 A |
| Warranty            | 2 Years Parts and Labour                   |