



DSB6-1500L/A Double Left Sink Bench with Pot Undershelf

Quick Overview

All Stainless Steel Double LEFT Sink Bench with Pot Undershelf
-Â DSB6-1500L/A
1500 mm wide
Free optional leg brace instead of pot shelf, please specify leg brace on order if required
â€¢ Bowl size 400mmWÃ—400DÃ—300H; 90 mm Ã˜ drain hole
â€¢ 600 mm deep Ã— 900 mm high
â€¢ Specially designed for quick & simple assembly
â€¢ Comes with instruction manual & tools
â€¢ Supplied flat-packed for ease of transport
â€¢ 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
â€¢ 1.2 mm S/S
â€¢ 15 mm wet edge
â€¢ Centre bowl positioning
â€¢ Bowls are fully welded, polished inside & out
â€¢ 90 mm Ã˜ drain hole
Splashbacks
â€¢ Stainless Steel backed â€¢ 150 mm high; 40 mm thick
â€¢ Bevelled â€¢ fully enclosed
Legs
â€¢ 1.2 mm S/S; 42 mm Ã˜
â€¢ Fully adjustable S/S polished disc feet that match the legs perfectly
â€¢ Castor kits available (lockable)
Benchtops
â€¢ 1.2 mm material; SUS304 (18/8)
â€¢ Lined with XPS board, 15 mm thick & S/S panel
â€¢ Special S/S â€¢˜Uâ€¢™ channel reinforcements under
- As the bench size increases so does the number of channels
Pot Undershelves
â€¢ 1.2mm S/S (18/8)
â€¢ Outer frame tubes: 38 Ã˜ 1.2 mm tube
â€¢ Inner tubes: 25 Ã˜ 1 mm tube with 40 mm spacing

Description

All Stainless DSB6-1500L/A Double Left Sink Bench with Pot Undershelf

1500 mm wide

Free optional leg brace instead of pot shelf, please specify leg brace on order if required

- Bowl size 400mmW × 400D × 300H; 90 mm Ø drain hole
- 600 mm deep × 900 mm high
- Specially designed for quick & simple assembly

- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- 1.2 mm S/S
- 15 mm wet edge
- Centre bowl positioning
- Bowls are fully welded, polished inside & out
- 90 mm Ø drain hole

Splashbacks

- Stainless Steel backed • 150 mm high; 40 mm thick
- Bevelled • fully enclosed

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 15 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

Pot Undershelves

- 1.2mm S/S (18/8)
- Outer frame tubes: 38 Ø 1.2 mm tube
- Inner tubes: 25 Ø 1 mm tube with 40 mm spacing

2 Years Parts only Warranty

Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	1500
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	1570
Packing Height (mm)	530
Power	0
Warranty	2 Years Parts Only