



WB6-2100/A Stainless Steel Workbench

Quick Overview

All Stainless Steel Flat Workbench with solid undershelf - WB6-2100/A
2100mm Wide
Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required
OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories
• 600 mm deep × 900 mm high
• Specially designed for quick & simple assembly
• Comes with instruction manual & tools
• Supplied flat-packed for ease of transport
• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
• Locking drawers available*

Legs
• 1.2 mm S/S; 42 mm × 98 mm
• Fully adjustable S/S polished disc feet that match the legs perfectly
• Castor kits available (lockable)

Benchtops
• 1.2 mm material; SUS304 (18/8)
• Lined with XPS board, 20 mm thick & S/S panel
• Special S/S × 98 mm × 99 mm channel reinforcements under
- As the bench size increases so does the number of channels

Undershelves
• Height of shelf is fully adjustable, also an extra shelf can be added
• Special × 98 mm × 99 mm channel reinforcements under to suit the bench type & size, and as the bench size increases so does the × 98 mm × 99 mm channel width; S/S 1.2 mm thick

Description

All Stainless Steel Flat Workbench with solid undershelf - WB6-2100/A
2100mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required
OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

- 600 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- Locking drawers available*

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

2 Years Parts only Warranty

Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	2100
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	2170
Packing Height (mm)	185
Power	0
Warranty	2 Years Parts Only