



WBB6-2400/A Workbench with Splashback

Quick Overview

All Stainless Steel Workbench with Splashback and Solid Undershelf - WBB6-2400/A

2400mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

• 600 mm deep • 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

• Locking drawers available*

Legs

• 1.2 mm S/S; 42 mm •

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

• 1.2 mm material; SUS304 (18/8)

• Lined with XPS board, 20 mm thick & S/S panel

• Special S/S •; channel reinforcements under

- As the bench size increases so does the number of channels

Undershelves

• Height of shelf is fully adjustable, also an extra shelf can be added

• 1.2 mm S/S

• Special •; channel reinforcements under to suit the bench type & size, and as the bench size increases so does the •; channel width; S/S 1.2 mm thick

Splashbacks

• Stainless steel backing

• All S/S lined & bevelled

• 150 mm high; 30 mm thick

• Fully enclosed & folded under top (not gal. or open)

Description

All Stainless Steel Workbench with Splashback and Solid Undershelf - WBB6-2400/A

This work table comes included with a slick undershelf and splashback, and comes to our shores from stainless steel and catering

equipment brand, Modular Systems, who stock a wide range of efficient stainless steel benches and products.

2400mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

- 600 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- Locking drawers available*

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- 1.2 mm S/S
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

Splashbacks

- Stainless steel backing
- All S/S lined & bevelled
- 150 mm high; 30 mm thick
- Fully enclosed & folded under top (not gal. or open)

2 Years Parts only Warranty

Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	2400
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	2470
Packing Height (mm)	275
Power	0
Warranty	2 Years Parts Only