



## Thermaster Promotion Showcase with Door - PDK-1360D

### Quick Overview

- Ventilated cooling system
- Electric defrost prevents ice buildup for efficient performance.
- Digital controller for precise temperature regulation with easy operation.
- Energy-efficient LED lights for clear product display
- Embraco compressor provides reliable cooling power with optimal efficiency
- R290 Natural Refrigerant
- Copper finned evaporator & condenser enhances heat exchange and durability
- 4 Lockable castors for easy mobility with secure positioning
- Ideal for beverages, vegetables, bagged bread, etc., to be stored
- Glass display - stylish and functional for product visibility
- PDK-1360D single tempered glass sliding door design helps reduce cold air loss and lower energy consumption
- PDK-1360 open display design maximizes accessibility and product exposure
- Assembly design of stainless-steel circumferential anti-collision strips
- Design of ventilation holes around the fuselage optimizes airflow for better cooling.

### Description

Thermaster Promotion Showcase- PDK-1360 Upgrade your refrigeration experience with the high-efficiency, eco-friendly, and reliable Promotion Showcase! This product is designed for long-lasting reliability and is ideal for storing beverages, vegetables, bagged bread, and other food items. The Promotion Showcase offers two options: the PDK-1360D single tempered glass sliding door design or the PDK-1360 open display design, catering to different needs.

### Key Features

- Ventilated cooling system
- Electric defrost prevents ice buildup for efficient performance.
- Digital controller for precise temperature regulation with easy operation.
- Energy-efficient LED lights for clear product display
- Embraco compressor provides reliable cooling power with optimal efficiency
- R290 Natural Refrigerant
- Copper finned evaporator & condenser enhances heat exchange and durability
- 4 Lockable castors for easy mobility with secure positioning
- Ideal for beverages, vegetables, bagged bread, etc., to be stored

- Glass display - stylish and functional for product visibility
- PDK-1360D single tempered glass sliding door design helps reduce cold air loss and lower energy consumption
- PDK-1360 open display design maximizes accessibility and product exposure
- Assembly design of stainless-steel circumferential anti-collision strips
- Design of ventilation holes around the fuselage optimizes airflow for better cooling.

#### Additional Information

- Dimension (WxDxH mm): 1360x1095x930
- Temperature Range: 1~7
- Ambient/RH%: 25 /60%RH
- Door: 2

1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice

## Your Shipping Specifications

|                     |  |
|---------------------|--|
| Product Condition   | New  |
| Doors               | 2  |
| Door Type           | Sliding Doors  |
| Body                | Colorbond  |
| Net Weight (Kg)     | 148  |
| Width (mm)          | 1360   |
| Depth (mm)          | 1095   |
| Height (mm)         | 930  |
| Packing Width (mm)  | 1160   |
| Packing Depth (mm)  | 1450   |
| Packing Height (mm) | 1000   |
| Power               | 240V, 580/10A  |
| Warranty            | 1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice |