



Thermaster Supermarket Open Beverage Display - OC-1220

Quick Overview

- Practical choice. Compact, Powerful & Heavy Duty! These high-quality kitchen equipment provide an excellent foundation for any kitchen.
- Reliable and efficient. This particular Supermarket Open Beverage Display has a smaller base design to reduce floor footprint.
- Great value for money. Get the longevity you need for the price you want with this unit's double-layer night blinds for less energy consumption!
- Hygienic & easy to clean. Our products meet the appropriate Health Department requirements, and are easy to clean, with simple assembly and remarkable service.

Description

Thermaster Supermarket Open Beverage Display - OC-1220

Highlight your bestselling beverages with our Thermaster Supermarket Open Beverage Display! Made up of an illuminated top canopy for advertising, they're sure to display your products well and showcase them to your buyers sleek, clean, and fresh.

This is a fast-selling purchase for any prospective restaurant or café owner who operates a medium to large establishment.

Key Features

- Smaller base design to reduce floor footprint
- Fan-forced Cooling
- Illuminated top canopy for advertising
- Double-layer night blinds for less energy consumption

- Streamlined operation
- Adjustable glass shelf
- Shelf 14 ° • Angle: 0 ° | 7 °
- Temperature class: M2
- LED lighting on top
- R290 Natural refrigerant
- Skopec compressor
- Can be assembled in a line-up, without a mullion, as it is multiplexable

Additional Information

- Net Volume: 540L
- Max Ambient Temperature: 25 °C, 60%RH
- Temperature Range: +1 to +7
- Night Blinds: 2
- Display area m² : 2.32

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Body	Colorbond
Net Volume	540L
Max Ambient Temperature	25 , 60%RH
Temperature Range	+1 to +7
Total Energy Consumption	20.11 kWh/24h
Net Weight (Kg)	275
Width (mm)	1280
Depth (mm)	770
Height (mm)	2067
Packing Width (mm)	1353
Packing Depth (mm)	770
Packing Height (mm)	2110
Power	240V; 1390W; 15A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice