



## Thermaster Upright Single Glass Door Freezer LG-400PF

### Quick Overview

- Gross Volume: 400L
- Net Volume: 343L
- Max Ambient Temperature: 25°C; 60%RH
- Temperature Range: -22 to -18°C
- Refrigerant: R290 Natural Refrigerant
- Cooling System: Fan-forced cooling

### Description

#### Thermaster Upright Single Glass Door Freezer LG-400PF

This Upright Single Glass Door Freezer from the refrigeration giant, Thermaster, is suitable for any hospitality establishment selling or stocking large quantities of food, stock, or ingredients - particularly in restaurants and supermarkets.

### Key Features

- Use R290 Natural Refrigerant
- Lock and Key
- Stainless steel door handle
- Slimmer glass door frame for maximum product visibility
- Triple-glazing glass with heat film

- Self-closing doors
- Light box
- Auto-defrost
- 5 shelves on each door
- LED lightening
- Digital temperature display
- Castors

#### Additional Information

- Gross Volume: 400L
- Net Volume: 343L
- Max Ambient Temperature: 25 °C, 60%RH
- Temperature Range: -22 to -18 °C
- Refrigerant: R290 Natural Refrigerant
- Cooling System: Fan-forced cooling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

## Your Shipping Specifications

|                          |   |
|--------------------------|---|
| Product Condition        | New   |
| Doors                    | 1   |
| Door Type                | Hinged Doors  |
| Body                     | Colorbond   |
| Gross Volume             | 400L  |
| Net Volume               | 343L  |
| Max Ambient Temperature  | 25 , 60%RH  |
| Temperature Range        | -22 to -18 ° C  |
| Total Energy Consumption | 10.81 kWh/24h   |
| Lids                     | 1   |
| Form Factor              | Upright   |
| Lid Material             | Glass   |
| Net Weight (Kg)          | 110   |
| Width (mm)               | 670   |
| Depth (mm)               | 693   |
| Height (mm)              | 2008  |
| Packing Width (mm)       | 730   |
| Packing Depth (mm)       | 720   |
| Packing Height (mm)      | 2048  |
| Power                    | 240V ; 800W / 10A   |
| Warranty                 | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |