



Bonvue Elite Cold Displays with 2 shelves - CL900-2S

Quick Overview

- Height-adjustable glass shelves for custom layout. Each shelf has a load capacity of 20kg
- Heated front glass to reduce fogging
- Crystal-Clear Product Visibility
- Bright LED strip lighting above and below each shelf for full product exposure, day or night
- Digital controller for precise temperature management
- Auto-defrost with evaporating condensate—no manual drainage, less hassle
- Full 360° double-tempered glass—sturdy, safe, and spotless views from all sides
- Engineered for the Australian environment
- Smooth sliding rear doors for easy access
- Dual-brake castors for stability and manoeuvrability
- Natural and eco-friendly refrigerant—

Description

Bonvue Elite Cold Displays with 2 shelves - CL900-2S

Key Features

- Height-adjustable glass shelves for custom layout. Each shelf has a load capacity of 20kg
- Heated front glass to reduce fogging
- Crystal-Clear Product Visibility
- Bright LED strip lighting above and below each shelf for full product exposure, day or night
- Digital controller for precise temperature management
- Auto-defrost with evaporating condensate—no manual drainage, less hassle
- Full 360° double-tempered glass—sturdy, safe, and spotless views from all sides
- Engineered for the Australian environment
- Smooth sliding rear doors for easy access

- Dual-brake castors for stability and manoeuvrability
- Natural and eco-friendly refrigerant

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

| | |
|-------------------------|--|
| Product Condition | New |
| Door Type | Sliding Doors |
| Body | Stainless Steel |
| Gross Volume | 430L |
| Max Ambient Temperature | 30 , 55%RH |
| Temperature Range | +2 to +8 |
| Form Factor | Display |
| Net Weight (Kg) | 140 |
| Width (mm) | 900 |
| Depth (mm) | 705 |
| Height (mm) | 1250 |
| Packing Width (mm) | 970 |
| Packing Depth (mm) | 770 |
| Packing Height (mm) | 1385 |
| Power | 240V, 670W/10A |
| Warranty | 2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice |