



## Thermaster SlimFit Upright Glass Door Beverage Fridge - LG166FA

### Quick Overview

- Gross Volume: 166L
- Net Volume: 144L
- Max Ambient Temperature: 32°C, 60%RH
- Temperature Range: 0 to +10°C
- Digital display and controller
- Dual lighting system with an independent light switch
- Recessed handle design
- Aluminium alloy curved door frame
- Adjustable shelving & Flexible configuration options
- Lockable design
- auto-defrosting and self-evaporation
- Dust-resistant protection for easier compressor maintenance
- The door is not reversible, left hinge opening available on request
- 9-star GEMS energy rating

### Description

Thermaster SlimFit Upright Glass Door Beverage Fridge - LG166FA

### Key Features

- Gross Volume: 166L
- Net Volume: 144L
- Max Ambient Temperature: 32°C, 60%RH
- Temperature Range: 0 to +10°C
- Digital display and controller
- Dual lighting system with an independent light switch
- Recessed handle design
- Aluminium alloy curved door frame
- Adjustable shelving – Flexible configuration options

- Lockable design
- auto-defrosting and self-evaporatiion
- Dust-resistant protection for easier compressor maintenance
- The door is not reversible, left hinge opening available on request
- 9-star GEMS energy rating

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice

Your Shipping Specifications

|                         |                                                                                                            |
|-------------------------|------------------------------------------------------------------------------------------------------------|
| Product Condition       | New                                                                                                        |
| Doors                   | 1                                                                                                          |
| Door Type               | Hinged Doors                                                                                               |
| Body                    | Stainless Steel                                                                                            |
| Gross Volume            | 166L                                                                                                       |
| Net Volume              | 144L                                                                                                       |
| Max Ambient Temperature | 32 , 60%RH                                                                                                 |
| Temperature Range       | 0 to +10                                                                                                   |
| Form Factor             | Upright                                                                                                    |
| Net Weight (Kg)         | 58                                                                                                         |
| Width (mm)              | 390                                                                                                        |
| Depth (mm)              | 487                                                                                                        |
| Height (mm)             | 1918                                                                                                       |
| Packing Width (mm)      | 440                                                                                                        |
| Packing Depth (mm)      | 540                                                                                                        |
| Packing Height (mm)     | 2130                                                                                                       |
| Power                   | 240V, 200W/10A                                                                                             |
| Warranty                | 2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice |